



BACKRESTS BEK



BUDDY BRACE



BEK SHIFT





Covers	User weight	Backrest width	Backrest height	Warranty	Crash tested	Certificates	Fire resistant
Seamless and breathable	Max 150 kg	from 26 to 54	from 30 to 55	2 years	On manual and powered wheelchairs		TÜV Rheinland Accredited Laboratory




- 1 Postural backrest highly adjustable
- 2 Freedom of movement with adjustable side supports
- 3 Comfortable customizable padding and breathable cover

SIZES

Bek	Wheelchair width	Backrest width (A)	Backrest height (B)
	24 - 28 cm	26 cm (M0)	30 cm
	26 - 30 cm	30 cm (M1)	35 cm - 40 cm
	30 - 34 cm	34 cm (M2)	40 cm - 45 cm
	34 - 38 cm	38 cm (M3)	45 cm - 50 cm
	38 - 42 cm	42 cm (M4)	45 cm - 50 cm - 55 cm
	42 - 46 cm	46 cm (M5)	45 cm - 50 cm - 55 cm
	46 - 50 cm	50 cm (M6)	55 cm
	48 - 52 cm	54 cm (M7)	50 cm

COVERS



BREATHABLE
BACK SIDE




ANTISLIP
BACK SIDE



BREATHABLE
PART OF CONTACT



PADDINGS



MEMORY



BREATHABLE

MOUNTING SYSTEMS



ADJUSTABLE
SEPARATE CLAMPS



ADJUSTABLE
UNIQUE CLAMPS




2 cm

2,2 cm

2,5 cm



SUPPORT




PAD SIZES

	S	M	L
A	11,0 cm	14,0 cm	18,0 cm
B	9,0 cm	10,0 cm	12,0 cm




ADJUSTMENTS



Backrest width	Width with Pad S		Width with Pad M/L	
	min.	max.	min.	max.
M0 (26 cm)	12,0 cm	25,5 cm	10,5 cm	24,0 cm
M1 (30 cm)	16,5 cm	30,0 cm	15,0 cm	28,5 cm
M2 (34 cm)	20,5 cm	34,0 cm	19,0 cm	32,5 cm
M3 (38 cm)	24,5 cm	38,0 cm	23,0 cm	36,5 cm
M4 (42 cm)	28,5 cm	42,0 cm	27,0 cm	40,5 cm
M5 (46 cm)	32,5 cm	46,0 cm	31,0 cm	44,0 cm
M6 (50 cm)	36,5 cm	50,0 cm	35,0 cm	48,5 cm
M7 (54 cm)	40,5 cm	54,0 cm	39,0 cm	52,5 cm


MOUNTING SYSTEMS

FIXED




← ADJUSTMENTS →

SWING-AWAY




← ADJUSTMENTS →

DETACHABLE



← ADJUSTMENTS →


HUG



PAD SIZES			
	S	M	L
A	5,5 cm	10,0 cm	10,0 cm
B	12,0 cm	18,0 cm	24,0 cm
C	9,0 cm	9,0 cm	10,0 cm




ADJUSTMENTS




Backrest width	Width with Pad S		Width with Pad M/L	
	min.	max.	min.	max.
M0 (26 cm)	12,0 cm	25,5 cm	10,5 cm	24,0 cm
M1 (30 cm)	16,5 cm	30,0 cm	15,0 cm	28,5 cm
M2 (34 cm)	20,5 cm	34,0 cm	19,0 cm	32,5 cm
M3 (38 cm)	24,5 cm	38,0 cm	23,0 cm	36,5 cm
M4 (42 cm)	28,5 cm	42,0 cm	27,0 cm	40,5 cm
M5 (46 cm)	32,5 cm	46,0 cm	31,0 cm	44,0 cm
M6 (50 cm)	36,5 cm	50,0 cm	35,0 cm	48,5 cm
M7 (54 cm)	40,5 cm	54,0 cm	39,0 cm	52,5 cm

MOUNTING SYSTEMS






CONTOUR



PAD SIZES			
	S	M	L
A	11,0 cm	15,0 cm	20,0 cm
B	8,0 cm	15,0 cm	20,0 cm




ADJUSTMENTS



Backrest width	Width with Pad S		Width with Pad M/L	
	min.	max.	min.	max.
M0 (26 cm)	12,0 cm	25,5 cm	10,5 cm	24,0 cm
M1 (30 cm)	16,5 cm	30,0 cm	15,0 cm	28,5 cm
M2 (34 cm)	20,5 cm	34,0 cm	19,0 cm	32,5 cm
M3 (38 cm)	24,5 cm	38,0 cm	23,0 cm	36,5 cm
M4 (42 cm)	28,5 cm	42,0 cm	27,0 cm	40,5 cm
M5 (46 cm)	32,5 cm	46,0 cm	31,0 cm	44,0 cm
M6 (50 cm)	36,5 cm	50,0 cm	35,0 cm	48,5 cm
M7 (54 cm)	40,5 cm	54,0 cm	39,0 cm	52,5 cm


MOUNTING SYSTEMS

FIXED




ADJUSTMENTS

SWING-AWAY




ADJUSTMENTS

DETACHABLE




ADJUSTMENTS

HOLD UP




PAD SIZES

	S	M	L
A	12,0 cm	16,0 cm	21,0 cm
B	9,0 cm	16,0 cm	21,0 cm



ADJUSTMENTS



Backrest width	Width with Pad S		Width with Pad M/L	
	min.	max.	min.	max.
M0 (26 cm)	12,0 cm	25,5 cm	10,5 cm	24,0 cm
M1 (30 cm)	16,5 cm	30,0 cm	15,0 cm	28,5 cm
M2 (34 cm)	20,5 cm	34,0 cm	19,0 cm	32,5 cm
M3 (38 cm)	24,5 cm	38,0 cm	23,0 cm	36,5 cm
M4 (42 cm)	28,5 cm	42,0 cm	27,0 cm	40,5 cm
M5 (46 cm)	32,5 cm	46,0 cm	31,0 cm	44,0 cm
M6 (50 cm)	36,5 cm	50,0 cm	35,0 cm	48,5 cm
M7 (54 cm)	40,5 cm	54,0 cm	39,0 cm	52,5 cm

MOUNTING SYSTEMS

FIXED




ADJUSTMENTS

SWING-AWAY



ADJUSTMENTS


DETACHABLE



ADJUSTMENTS



BUDDY BRACE



BEK ROUND





BEK ROUND

BACKRESTS

Covers	User weight	Backrest width	Backrest height	Warranty	Crash tested	Certificates	Fire resistant
Seamless and breathable	Max 150 kg	from 26 to 54	from 30 to 55	2 years	On manual and powered wheelchairs		TÜV Rheinland Accredited Laboratory



1 Comfortable backrest suitable for people with poor trunk control


2 Adjustments in height and width of the lateral containment

3 Comfortable customizable padding and breathable cover

SIZES

Bek	Wheelchair width	Backrest width (A)	Backrest height (B)
	24 - 28 cm	26 cm (M0)	30 cm
	26 - 30 cm	30 cm (M1)	35 cm - 40 cm
	30 - 34 cm	34 cm (M2)	40 cm - 45 cm
	34 - 38 cm	38 cm (M3)	45 cm - 50 cm
	38 - 42 cm	42 cm (M4)	45 cm - 50 cm - 55 cm
	42 - 46 cm	46 cm (M5)	45 cm - 50 cm - 55 cm
	46 - 50 cm	50 cm (M6)	55 cm
	48 - 52 cm	54 cm (M7)	50 cm

COVERS



BREATHABLE
BACK SIDE



ANTISLIP
BACK SIDE



BREATHABLE
PART OF CONTACT



PADDINGS



BREATHABLE

MOUNTING SYSTEMS



ADJUSTABLE
SEPARATE CLAMPS




ADJUSTABLE
UNIQUE CLAMPS




2 cm

2,2 cm

2,5 cm









BUDDY BRACE

BUDDY BRACE



Via A. De Curtis 4/a
80040 Cercola (NA) ITALIA

tel 081 555.19.46

fax 081 555.25.07



SEATS




DYNAMIC



Covers	User weight	Seat width	Seat depth	Warranty	Crash tested	Certificates
<p>Seamless and breathable</p>	<p>Max 150 kg</p>	<p>← cm → from 30 to 46</p>	<p>↖ cm ↘ from 42 to 56</p>	<p>2 years</p>	<p>On manual and powered wheelchairs</p>	



SIZES



Wheelchair width	Seat width	Seat depth
30 - 32 cm	30 cm (M1)	42 cm
34 - 36 cm	34 cm (M2)	46 cm
38 - 40 cm	38 cm (M3)	50 cm
42 - 44 cm	42 cm (M4)	52 cm
46 - 48 cm	46 cm (M5)	56 cm


MOUNTING SYSTEM




SEATING SYSTEM BASED ON MODULAR INSERTS



PADDING IN MEMORY WITH NON-SLIP, TWO-WAY STRETCH AND BREATHABLE COVER



LOWERED RIGID AND NON-DEFORMABLE BASE



MODULAR INSERTS

INSERT FOR DEPTH REDUCTION



LATERAL CONTAINING



ADDUCTOR AND ABDUCTOR LEG INSERTS




IDEAL POSTURE




CLINICAL CASES AND PERSONALIZATION EXAMPLES

PELVIC ROTATION



PELVIC OBLIQUITY





BUDDY BRACE



PEEZY






 Cuttable	Covers	User weight	Seat width	Seat depth	Warranty	Crash tested	Certificates	Fire resistant
	 Seamless Breathable Waterproof	 Max 150 kg	← cm → from 26 to 48	← cm → from 30 to 52	2 years	 On manual and powered wheelchairs		 Accredited Laboratory



SIZES




Peezy sizes	A	B
P1	26 cm	30 cm
P2	30 cm	34 cm
P3	30 cm	40 cm
P4	34 cm	44 cm
P5	36 cm	44 cm
P6	38 cm	48 cm
P7	42 cm	44 cm
P8	42 cm	52 cm
P9	44 cm	50 cm
P10	48 cm	52 cm


MOUNTING SYSTEMS



HIGHLY MODULAR TO ACCOMODATE SEVERE DEFORMITIES



PADDING IN MEMORY WITH NON-SLIP, TWO-WAY STRETCH AND BREATHABLE COVER




POSTURAL SEAT WITH FLAT BASE





MODULAR INSERTS


PELVIC CONTAINING INSERTS




PELVIC CONTAINING AND LEG ABDUCTION INSERTS



DEPTH REDUCTION INSERTS




ABDUCTOR AND ADDUCTOR LEG INSERTS




CLINICAL CASES AND PERSONALIZATION EXAMPLES

FIXED ABDUCTION



WIND SWEEP




ASIMMETRY



PELVIC OBLIQUITY






PEEZY LIGHT





PEEZY LIGHT


SEATS



Covers Seamless Breathable Waterproof	User weight Max 150 kg	Seat width ← cm → from 26 to 48	Seat depth ← cm → from 30 to 52	Warranty 2 years	Crash tested On manual and powered wheelchairs	Certificates CE	Fire resistant TÜV Rheinland Accredited Laboratory
---	-------------------------------------	--	--	--------------------------------------	--	---------------------------	---



SIZES



Peezy sizes	A	B
P1	26 cm	30 cm
P2	30 cm	34 cm
P3	30 cm	40 cm
P4	34 cm	44 cm
P5	36 cm	44 cm
P6	38 cm	48 cm
P7	42 cm	44 cm
P8	42 cm	52 cm
P9	44 cm	50 cm
P10	48 cm	52 cm


MOUNTING SYSTEMS




ANATOMICAL DESIGN TO ACCOMMODATE LIGHT DEFORMITIES



PADDING IN MEMORY WITH NON-SLIP, TWO-WAY STRETCH AND BREATHABLE COVER



POSTURAL SEAT WITH FLAT BASE





MODULAR INSERTS


PELVIC CONTAINING INSERTS

PELVIC CONTAINING AND LEG
ABDUCTION INSERTS




DEPTH REDUCTION INSERTS

ABDUCTOR AND ADDUCTOR
LEG INSERTS




CLINICAL CASES AND PERSONALIZATION EXAMPLES

FIXED ABDUCTION



WIND SWEEP



ASIMMETRY



PELVIC OBLIQUITY







BUDDY BRACE

BUDDY BRACE

Via A. De Curtis 4/a
80040 Cercola (NA) ITALIA

tel 081 555.19.46


fax 081 555.25.07



ACCESSORIES



BUDDY BRACE



ACCESSORIES





HEADREST JOINING SYSTEM COMPATIBLE WITH MOST BACKRESTS ON THE MARKET

MOUNTING SYSTEMS




STANDARD MOUNTING PLATE

width	height	holes
9 cm	4,5 cm	M5



UNIVERSAL MOUNTING PLATE

width	height	holes
9 cm	11 cm	M6



HEADREST WITH ORBITAL MOVEMENT



PADDING IN MEMORY FOAM WITH BREATHABLE AND REMOVABLE COVER




HEADREST PADS





"O" PAD IN MEMORY			
	small	medium	large
A	23 cm	34 cm	42 cm
B	9 cm	16 cm	18 cm

"D" PAD IN MEMORY			
	small	medium	large
A	23 cm	34 cm	42 cm
B	12 cm	18 cm	22 cm



* "E" PAD			
	small	medium	large
A	15 cm	18 cm	26 cm
B	13 cm	16 cm	18 cm
C	18 cm	21 cm	22 cm

* "X" PAD		
	small	medium
A	20 cm	25 cm
B	17 cm	21 cm




"A" PAD		
	small	medium
A	21 cm	26 cm
B	14 cm	17 cm


* COMPATIBLE WITH HEAD HOLDER

DOCKING SYSTEMS


"FREE-SHOCK" SYSTEM



"I" SYSTEM




"C" SYSTEM




DOCKING SYSTEMS

"IC" SYSTEM




A	2,6 cm
B	242°
C	19,5 cm
D	244°

"CC" SYSTEM




A	5,3 cm
B	13,8 cm
C	25,3 cm


"T" SYSTEM




A	1,6 cm
B	12,5 cm
C	21,2 cm
D	56°
E	56°




PADDED				
	XS	S	M	L
A	5 cm	7 cm	7 cm	11 cm
B	25 cm	30 cm	40 cm	35 cm
C	4 cm	4 cm	4 cm	4 cm



1 SIDE CONTOURING		
	S	L
A	9 cm	12 cm
B	30 cm	40 cm
C	6 cm	6 cm




2 SIDES CONTOURING		
	S	L
A	9 cm	12 cm
B	30 cm	40 cm
C	5 cm	5 cm




3 SIDES CONTOURING			
	S	M	L
A	9 cm	11,5 cm	13 cm
B	35 cm	35 cm	40 cm
C	5 cm	5 cm	5 cm


ARMREST SUPPORTS




SUPPORT AIDS



PADDED LATERAL SUPPORT		
	piccolo	grande
A	11 cm	13 cm
B	30 cm	35 cm
Thickness	3,5 cm	3,5 cm




SMALL P.E.T.G. LATERAL SUPPORT	
A	9 cm
B	27 cm
Thickness with padding	2 cm

PADDED P.E.T.G. LATERAL SUPPORTS	
A	15 cm
B	31 cm
Thickness with padding	2 cm




ADJUSTABLE LEG SUPPORT WEDGE




	small	large
A	11 cm	13 cm
B	30 cm	35 cm
C	3,5 cm	3,5 cm

REMOVABLE JOINT COVER





ADJUSTABLE LATERAL SUPPORT





A	21 cm
B	26 cm
C	2 cm

P.E.T.G. TABLE




A	48 cm
B	62 cm
C	18,6 cm
D	39,5 cm
E	2 cm

P.E.T.G. SHAPED TABLE





	small	large
A	41 cm	49 cm
B	42 cm	50 cm
C	16 cm	21 cm
D	33 cm	40 cm
E	50 cm	60 cm
F	0,8 cm	0,8 cm

LEATHERETTE PADDED TABLE



	small	medium	large
A	48 cm	48 cm	48 cm
B	60 cm	65 cm	70 cm
C	19 cm	19 cm	19 cm
D	40 cm	45 cm	50 cm
E	2 cm	2 cm	2 cm

MOUNTING SYSTEM





1 POCKET BAG			
	small	large	
width	28 cm	24 cm	
height	12 cm	12 cm	
depth	8 cm	8 cm	



SECRET BAG			
	small	large	
width	22 cm	30 cm	
height	18 cm	22 cm	
depth	3 cm	3 cm	



STRUCTURED BAG			
	small	large	
width	20 cm	30 cm	
height	18 cm	22 cm	
depth	10 cm	10 cm	



WATERPROOF SOFT BAG			
	small	large	
width	22 cm	26 cm	
height	12 cm	15 cm	
depth	12 cm	12 cm	



LEATHERETTE BAG			
	small	large	
width	30 cm	33 cm	
height	20 cm	22 cm	
depth	8 cm	8 cm	



BACKPACK AND RESPIRATOR BAG			
	small	large	
width	30 cm	40 cm	
height	29 cm	35 cm	
depth	15 cm	15 cm	





BUDDY BRACE

BUDDY BRACE

Via A. De Curtis 4/a
80040 Cercola (NA) ITALIA

tel 081 555.19.46

fax 081 555.25.07



HARNESSES



BUDDY BRACE






HARNESSES




HEAD HOLDER




	small	large
A	15 cm	20 cm
B	5 cm	5 cm
C	40 - 45 cm	45 - 50 cm

CHEST BELTS




BUTTERFLY X

	small	medium	large
A	31 cm	41 cm	51 cm
B	5 cm	6 cm	7 cm
C	27 cm	29 cm	37 cm



BUTTERFLY U


	small	medium	large
A	31 cm	41 cm	51 cm
B	21 cm	28 cm	36 cm
C	8 cm	10 cm	12 cm



BUTTERFLY H


	small	medium	large
A	31 cm	41 cm	51 cm
B min	23 cm	27 cm	35 cm
B max	31 cm	39 cm	51 cm
C strap	18 cm	28 cm	38 cm
D strap	20 cm	25 cm	30 cm

MOUNTING SYSTEM




PELVIC BELTS WITH 2 FASTENING POINTS

METALLIC BUCKLE



	small	large
A	130 - 140 cm	150 - 160 cm
B	2,5 cm	4 cm
C	20 cm	25 cm
D	4 cm	8 cm


PLASTIC BUCKLE



	small	large
A	130 - 140 cm	150 - 160 cm
B	2,5 cm	4 cm
C	20 cm	25 cm
D	4 cm	8 cm


PELVIC BELTS WITH 4 FASTENING POINTS

METALLIC BUCKLE



	small	large
A	130 - 140 cm	150 - 160 cm
B	2,5 cm	4 cm
C	20 cm	25 cm
D	4 cm	8 cm
E	80 cm	80 cm

PLASTIC BUCKLE




	small	large
A	130 - 140 cm	150 - 160 cm
B	2,5 cm	4 cm
C	20 cm	25 cm
D	4 cm	8 cm
E	80 cm	80 cm




HARNESS

ARM HOLDER




	small	large
A	15 cm	20 cm
B	7 cm	10 cm
D	25 - 30 cm	30 - 35 cm

CALF SUPPORTS




SMALL





	small
A	80 cm
B	36 cm
D	19 cm

MEDIUM/LARGE





	medium	large
A	90 cm	100 cm
B	41 cm	40 cm
D	21 cm	23 cm

ANKLETS



	small	medium	large
A	23 - 28 cm	27 - 34 cm	29 - 38 cm
B	6,5 cm	6,5 cm	6,5 cm
C	15 cm	18 cm	20 cm


FEET STRAPS



one foot system			
	small	medium	large
C	12 - 16 cm	15 - 19 cm	18 - 22 cm

two feet system			
	small	medium	large
C	25 - 29 cm	30 - 34 cm	35 - 39 cm

HEEL STRAPS



one foot system	
A	30 cm

two feet system	
A	60 cm



BUDDY BRACE

BUDDY BRACE


Via A. De Curtis 4/a
80040 Cercola (NA) ITALIA

tel 081 555.19.46

fax 081 555.25.07

One²One

designed^{for} you



3D SCAN SYSTEMS

CLOUD POSTURAL SYSTEM



- 1 Postural seating system entirely customizable
- 2 The seat is designed one by one and the cover is tailor-made
- 3 Customizable, breathable and washable cover


CLOUD+ POSTURAL SYSTEM




- 1 3D scanned postural system with lateral swing away containments
- 2 Very comfortable and easy lateral transfer
- 3 Structure, frame and cover completely customizable

CUSTOMIZABLE COVERS AND PADDINGS

AIRMESH 3D COVERS WITH DIFFERENT COLORS




PADDINGS IN P.U. WITH DIFFERENT LEVELS OF DENSITY



CUSTOMIZABLE FRAME WITH COLOURS AND ACCESSORIES

16 COLORS AVAILABLE



MOUNTING SYSTEM



TYPE OF POSTURES



BACK



SEAT



BACK SEAT

ARMREST AND HEADREST



STRETCHER



1
2
3

3D scanned accessories

Customizable covers for every needs

Customizable paddings for every comfort

1
2
3


3D scanned lay down seating for structurized users

Modular frame to fix to a wheelchair or a base


Customizable covers and paddings

CUSTOMIZABLE COVERS


AIRMESH



LEATHERETTE



TWO-WAY STRETCH



WATERPROOF




CUSTOMIZABLE PADDINGS


BREATHABLE



MEMORY



P.E.



P.D. WITH DIFFERENT DENSITIES





BEK HYBRID

BACKRESTS

Covers	User weight	Backrest width	Backrest height	Warranty	Crash tested	Certificates	Fire resistant
Seamless and breathable	Max 150 kg	← cm → from 26 to 54	↑ cm ↓ from 30 to 55	2 years	On manual and powered wheelchairs	CE	TÜV Rheinland Accredited Laboratory



- For people with severe deformities which need lateral support
- The backrest is designed one by one and the cover is tailor-made
- Customizable padding with breathable and washable cover

SIZES AND MOUNTING SYSTEMS

Bek	Wheelchair width	Backrest width (A)	Backrest height (B)
	width	26 cm (M0)	30 cm
	26 - 30 cm	30 cm (M1)	35 cm - 40 cm
	30 - 34 cm	34 cm (M2)	40 cm - 45 cm
	34 - 38 cm	38 cm (M3)	45 cm - 50 cm
	38 - 42 cm	42 cm (M4)	45 cm - 50 cm - 55 cm
	42 - 46 cm	46 cm (M5)	45 cm - 50 cm - 55 cm
	46 - 50 cm	50 cm (M6)	55 cm
	48 - 52 cm	54 cm (M7)	50 cm

ADJUSTABLE SEPARATE CLAMPS

ADJUSTABLE UNIQUE CLAMPS




● 2 cm
● 2,2 cm
● 2,5 cm

COVERS WITH DIFFERENT COLOURS AND MATERIALS

AIRMESH

BREATHABLE SOFT ELASTIC

LEATHERETTE



PADDING IN P.D. WITH DIFFERENT LEVELS OF DENSITY


D-75

D-65

D-50


INCREASING
SOFTNESS

SUPPORT




PAD SIZES			
	S	M	L
A	11,0 cm	14,0 cm	18,0 cm
B	9,0 cm	10,0 cm	12,0 cm

HUG




PAD SIZES			
	S	M	L
A	5,5 cm	10,0 cm	10,0 cm
B	12,0 cm	18,0 cm	24,0 cm
C	9,0 cm	9,0 cm	10,0 cm

CONTOUR



PAD SIZES			
	S	M	L
A	11,0 cm	15,0 cm	20,0 cm
B	8,0 cm	15,0 cm	20,0 cm


HOLD UP



PAD SIZES			
	S	M	L
A	12,0 cm	16,0 cm	21,0 cm
B	9,0 cm	16,0 cm	21,0 cm


FIXING SYSTEMS

FIXED




← ADJUSTMENTS →

SWING-AWAY



← ADJUSTMENTS →

DETACHABLE



← ADJUSTMENTS →

BEK HYBRID PLUS



1

Even the sides support are 100% customized

2


Choice of different kind of brackets for lateral supports

3


Cover and padding are customizable and removable

FIXING SYSTEMS


3D SCANNED PADS




FIXED



SWING-AWAY



DETACHABLE



MODULAR WHEELCHAIR FOR THE POSTURAL ELEMENTS CONFIGURATION



- 1 Allows the configuration of the Buddy Brace and One2One postural products based on the user's anthropometric measurements
- 2 Designed to accommodate Vakuu Buddy Brace bags for 3D scanning of the user's body (trunk - pelvis)
- 3 It allows the creation of extremely comfortable ergonomic postural systems for a significant improvement in the quality of life




PRODUCTION PHASES FOR THE CREATION OF POSTURAL SYSTEMS BASED ON 3D SCANNING

1. SCAN



2. DESIGN PROCESS OF THE SEATING SYSTEM



3. POSTURE



4. FRAME



5. CUSTOM COVER



One²One

designed^{for} you

BUDDY BRACE


Via A. De Curtis 4/a
80040 Cercola (NA) ITALIA

tel 081 555.19.46

fax 081 555.25.07

One²One

designed^{for} you



CUSTOMIZED SYSTEMS



BACKREST IN MEMORY

Covers	User weight	Backrest width	Backrest height	Warranty	Crash tested	Certificates	Fire resistant
Seamless and breathable	Max 150 kg	from 26 to 54	from 30 to 55	2 years	On manual and powered wheelchairs	CE	TÜV Rheinland Accredited Laboratory





- 1 Backrest for light postural deformities
- 2 Backrest in memory highly adjustable and customizable
- 3 Freedom of movement with adjustable side support

COVER WITH DIFFERENT MATERIALS AND COLOURS



BREATHABLE 3D AIRMESH

LEATHERETTE

BREATHABLE SOFT ELASTIC



PADDING IN MEMORY FOR LIGHT DEFORMITIES



SIZES AND MOUNTING SYSTEMS

Bek	Wheelchair width	Backrest width (A)	Backrest height (B)
	width	26 cm (M0)	30 cm
	26 - 30 cm	30 cm (M1)	35 cm - 40 cm
	30 - 34 cm	34 cm (M2)	40 cm - 45 cm
	34 - 38 cm	38 cm (M3)	45 cm - 50 cm
	38 - 42 cm	42 cm (M4)	45 cm - 50 cm - 55 cm
	42 - 46 cm	46 cm (M5)	45 cm - 50 cm - 55 cm
	46 - 50 cm	50 cm (M6)	55 cm

ADJUSTABLE SEPARATE CLAMPS


ADJUSTABLE UNIQUE CLAMPS

● 2 cm
● 2,2 cm
● 2,5 cm

COMPATIBLE BB LATERAL SUPPORTS



SUPPORT




PAD SIZES

	S	M	L
A	11,0 cm	14,0 cm	18,0 cm
B	9,0 cm	10,0 cm	12,0 cm



HUG




PAD SIZES

	S	M	L
A	5,5 cm	10,0 cm	10,0 cm
B	12,0 cm	18,0 cm	24,0 cm
C	9,0 cm	9,0 cm	10,0 cm


FIXING SYSTEMS

FIXED




← ADJUSTMENTS →

SWING-AWAY



← ADJUSTMENTS →

DETACHABLE



← ADJUSTMENTS →




BACKREST IN MEMORY

COMPATIBLE BB LATERAL SUPPORTS




CONTOUR




PAD SIZES

	S	M	L
A	11,0 cm	15,0 cm	20,0 cm
B	8,0 cm	15,0 cm	20,0 cm



HOLD UP




PAD SIZES

	S	M	L
A	12,0 cm	16,0 cm	21,0 cm
B	9,0 cm	16,0 cm	21,0 cm


FIXING SYSTEMS

FISSO




← ADJUSTMENTS →

SWING-AWAY



← ADJUSTMENTS →

DETACHABLE



← ADJUSTMENTS →



1


Postural seating system designed to satisfy the needs of users in tender age

2

Structural seating system designed to control and correct the posture in the tender age


3

With rigid internal base and soft, customizable, breathable and removable textile




CUSTOMIZABLE PADDINGS


AIRMESH



LEATHERETTE



TWO-WAY STRETCH




WATERPROOF



PADDING



P.E.







- 1 Toddler positioning system with flat base
- 2 Customizable and adaptable to different models of positioning system
- 3 Soft and customizable, breathable and removable textile

CUSTOMIZABLE COVERS


AIRMESH



LEATHERETTE



TWO-WAY STRETCH



WATERPROOF




CUSTOMIZABLE PADDINGS


BREATHABLE




MEMORY



P.E.



P.U. WITH DIFFERENT LEVELS OF DENSITY



HUGGIE AQUA POSTURAL SYSTEM




- 1 Rigid but lightweighted and tailored positioning system
- 2 Suitable for the sea, the pool and for user bathing in the tender age
- 3 Positioning suitable for all outdoor activities being waterproof




CUSTOMIZABLE ACCESSORIES


STRETCHER



STRUCTURED PADDED LEGREST



ADJUSTABLE PADDED LEGREST



One²One

designed^{for} you

BUDDY BRACE

Via A. De Curtis 4/a
80040 Cercola (NA) ITALIA

tel 081 555.19.46

fax 081 555.25.07